

Flagler County Residential Landscape Form

Residential Landscape Compliance, LDC §5.01.04(3)

Each single-family lot or parcel must provide at least one (1) tree per two thousand five hundred (2,500) square feet of lot area, excluding any portion within a water body.

- When trees are planted to meet the minimum requirement, they must be <u>shade trees</u> (see list below), have a minimum height of eight (8) feet and a minimum diameter of one and one-half (1 ¹/₂) inches measured at four and one-half (4 ¹/₂) feet aboveground at the tie of planting.
 - Plantings in the *A1A Scenic Corridor* shall have a minimum height of twelve (12) feet and a minimum diameter of four (4) inches measured at six (6) inches above ground at the time of planting
- Existing shade trees, sabal palms and pine trees may be used to satisfy this requirement, in whole or in part, provided they have a minimum caliper of two and one-half (2 ½) inches DBH and overall height of ten (10) feet.

| Flagler County Approved Shade Tree List | | | | | | |
|---|----------|------------------|--|----------|------------------|----------|
| Square Footage of Lot or Parcel: (example: 10,000 sq ft) | | | Required Number or Trees: (example: 4 Trees) | | | |
| | Existing | | Existing | Planting | | Planting |
| | Quantity | Existing Caliper | Height | Quantity | Planting Caliper | Height |
| Example: | 3 | 1.5", 2.5", 2.5" | 10', 14', 18' | 1 | 2" | 8' |
| Elm, Winged | | | | | | |
| Hickory, Pignut | | | | | | |
| Magnolia, Southern | | | | | | |
| Maple, Red | | | | | | |
| Oak, Live | | | | | | |
| Southern Red Cedar | | | | | | |
| Sweetgum | | | | | | |
| Ash, Green | | | | | | |
| Cypress, Bald | | | | | | |
| Elm, Chinese | | | | | | |
| Elm, Drake | | | | | | |
| Oak, Shumard | | | | | | |
| Pecan | | | | | | |
| Sycamore | | | | | | |
| Pine Trees | | | | | | |
| Sabal Palms* | | | | | | |
| Total: | | | | | | |

I, _____, the undersigned, certify that I am the owner or duly appointed agent for the property addressed .