

Carehere HRA Aggregate Review

Covering Non-Cohort Population for Calendar Years
2011, 2012, 2013, 2014

Presented by The Bailey Group




Table of Contents

1. Total Cholesterol
2. Glucose
3. PSA
4. Blood Pressure-Systolic
5. Blood Pressure-Diastolic
6. Body Mass Index
7. Seat Belt Usage
8. Smoking
9. Dental Exam
10. Eye Exam
11. Exercise Days Per Week
12. Pap Smear
13. Mammogram
14. Waist Circumference

Total Cholesterol

2014 {679 Respondents}

■ High ■ Borderline ■ Good ■ Low




	Total Respondents	High	Borderline	Good	Low
2014	679	6%	25%	68%	1%
2013	630	6%	24%	70%	0%
2012	511	8%	27%	65%	1%
2011	348	11%	26%	63%	0%

Glucose

2014 {679 Respondents}

■ High ■ Good ■ Low




	Total Respondents	High	Good	Low
2014	679	32%	67%	1%
2013	631	27%	71%	2%
2012	512	29%	70%	1%
2011	349	25%	74%	1%

Prostate Specific Antigen (PSA)

2014 {122 Respondents}

High Borderline Good




	Total Respondents	High	Borderline	Good
2014	122	2%	0%	98%
2013	116	2%	0%	98%
2012	104	1%	0%	99%
2011	96	1%	0%	99%

Blood Pressure - Systolic

2014 {1006 Respondents}

■ High ■ Borderline ■ Good ■ Low




	Total Respondents	High	Borderline	Good	Low
2014	1006	1%	4%	90%	5%
2013	938	1%	5%	89%	5%
2012	772	2%	5%	91%	2%
2011	231	9%	10%	80%	1%

Blood Pressure - diastolic

2014 {1006 Respondents}

■ High ■ Borderline ■ Good ■ Low




	Total Respondents	High	Borderline	Good	Low
2014	1006	2%	5%	93%	0%
2013	938	1%	4%	95%	0%
2012	772	1%	2%	96%	0%
2011	231	3%	4%	93%	0%

Body Mass Index

2014 {1007 Respondents}

■ High
 ■ Borderline
 ■ Good
 ■ Low




	Total Respondents	High	Borderline	Good	Low
2014	1007	62%	7%	31%	0%
2013	935	62%	6%	32%	0%
2012	768	61%	7%	32%	0%
2011	149	67%	7%	26%	0%

Seat belt usage

2014 {926 Respondents}

■ Concern ■ Good




	Total Respondents	Concern	Good
2014	926	2%	98%
2013	664	3%	97%
2012	332	5%	95%
2011	48	4%	96%

Smoking

2014 {933 Respondents}

■ Concern ■ Good




	Total Respondents	Concern	Good
2014	933	37%	63%
2013	714	38%	62%
2012	365	36%	64%
2011	50	48%	52%

Dental Exam in the past 12 months

2014 {931 Respondents}

■ Concern ■ Good




	Total Respondents	Concern	Good
2014	931	32%	68%
2013	719	31%	69%
2012	372	29%	71%
2011	50	42%	58%

Eye Exam in the past 12 months

2014 {936 Respondents}

■ Concern ■ Good




	Total Respondents	Concern	Good
2014	936	45%	55%
2013	720	50%	50%
2012	374	47%	53%
2011	49	55%	45%

Exercise - days per week

2014 {914 Respondents}

■ 5-7 Days ■ 3-4 Days ■ 2-3 Days ■ 0-1 Days




	Total Respondents	0-1 Days	2-3 Days	3-4 Days	5-7 Days
2014	914	15%	19%	32%	34%
2013	659	14%	20%	36%	30%
2012	329	16%	30%	29%	25%
2011	46	17%	24%	44%	15%

Pap Smear in the past 12 months

2014 {460 Respondents}

■ Concern ■ Good




	Total Respondents	Concern	Good
2014	460	42%	58%
2013	327	38%	62%
2012	178	34%	66%
2011	27	44%	56%

Mammogram in the past 12 months

2014 {459 Respondents}

■ Concern ■ Good





	Total Respondents	Concern	Good
2014	459	60%	40%
2013	206	30%	70%
2012	117	27%	73%
2011	27	67%	33%

Waist Circumference

2011 - 2012

Waist Circumference (102 Unique Participants)

Waist Circumference in inches		2011	2012	2011 Avg	2012 Avg
Female	Under 35	26	22	29.23	28.55
Female	35 and Over	8	12	38.88	38.75
Male	Under 40	47	48	35.32	35.25
Male	40 and Over	21	20	42.98	43.55





Waist Circumference

2012 through 2013

Waist Circumference (426 Unique Participants)

Waist Circumference in inches		2012	2013	2012 Avg	2013 Avg
Female	Under 35	98	97	29.97	29.97
Female	35 and Over	112	113	40.18	39.64
Male	Under 40	127	144	35.54	35.38
Male	40 and Over	89	72	44.37	44.89





Waist Circumference

2013 through 2014

Waist Circumference (598 Unique Participants)


Waist Circumference in inches		2013	2014	2013 Avg	2014 Avg
Female	Under 35	124	127	30.33	30.69
Female	35 and Over	158	155	39.82	39.59
Male	Under 40	209	185	35.46	35.70
Male	40 and Over	107	131	46.44	44.88



Waist Circumference

2014 {598 Respondents}

■ Healthy Range ■ At Risk



	Total Respondents	At Risk	Healthy Range
2014	598	48%	52%
2013	426	45%	55%
2012	102	48%	52%